



CHANEN

massage chair

Jiangsu CHANEN massage chair Technology Co., Ltd.



Jiangsu CHANEN massage chair Technology Co., Ltd.

ADD: Jiangsu , Huai'an , , Fourth Floor, Workshop 8, Rizi Industrial Park,

No. 6, Feiyao North Road, Economic Development Zone

TEL: 19117088872

Email: kelly@qemassagechair.com

WEB: qemassagechair.com



SOFT & COMFORTABLE



CONTENTS

- Part 1 Company introduction
- Part 2 Product certification
- Part 3 Product quality
- Part 4 Product introduction
- Part 5 Contact us



Company introduction

Jiangsu CHANEN massage chair Technology Co., Ltd. is a high-tech company dedicated to the development, production, sales and service of intelligent massage chair and Internet of things sharing massage chair. The predecessor of the company was established in December 2018, and the R & D center and factory are located in Huai'an Economic and Technological Development Zone. It is planned to invest 150 million yuan in three years to build a first-class massage chair R & D center and production base in China. Continuous innovation is the core value of CHANEN, and it is also an important reason for CHANEN to maintain its advantages. CHANEN has a strong R & D team, manufacturing team and marketing team. They do not stick to the existing product and service mode of massage appliance industry, closely combine "brand innovation", "service innovation" and "cultural innovation", constantly seek innovation and change in their work, create new technologies, new products and new services, lead the new trend of modern life style, and innovate with originality to optimize the quality of life in an all-round way.

The company plans to build a modern chemical plant with an annual output of 100000 intelligent massage chairs, including finishing workshop, injection workshop, electronic inspection and assembly workshop, fabric design and processing workshop, general assembly workshop, inspection workshop, unmanned intelligent warehouse, etc.


The company's products have been obtained CE, KC and other international certification, business has been expanded to South Korea, Spain, Australia, Vietnam, the United States and other regions. Domestic business has covered South China, central China, East China and southwest China. The company has established long-term stable cooperative relationship with many retailers and agents. The company sells massage chair and other products with complete range and reasonable price. Our company has strong strength, pays attention to credit, Compliance with contract, guarantees the product quality, and wins the trust of the majority of customers with the principle of multi variety operation characteristics and small profits and quick turnover.



Quality control system

Our company has established a sound quality management system to ensure the stability and reliability of product quality. The quality management system includes quality policy, quality objectives, quality manuals, program documents and quality records.

We follow ISO9001 quality management system standards, and conduct regular internal audits and management reviews to continuously improve the level of quality management.



Quality control process

Raw material procurement and inspection:

- Supplier evaluation and selection
- Raw material inspection

Production process control:

- Process monitoring
- On-line detection
- Equipment calibration and maintenance

Finished product inspection and testing:

- Ex-factory inspection
- Performance test
- Identification and traceability of finished products



CHANEN MA9201 3D Single Core Movement

CORE SELLING POINT

- * 3D massage technology with a unique Super SL Track design for full-body coverage.
- * Stretching program to enhance flexibility and relieve tension
- * Multiple recline angles for personalized comfort

CLASSIC SELLING POINT

- * Extensive massage functions including kneading, tapping, rolling and so on.
- * Zero gravity feature for reduced pressure on joints
- * Adjustable shoulder and foot rollers



Product Technical Parameters

Model	MA9201
Brand	CHANEN
Power Supply	220V 50Hz~60Hz
Rated Power	150w
Massage Range	
Kneading width:	approximately 6cm – 15cm
Moving distance:	approximately 98cm
Protrusion of massage rollers:	approximately 10cm
Dimensions:	When not tilted [Length x Width x Height] approximately 163.5cm x 87cm x 115cm When tilted [Length x Width x Height] approximately 190cm x 87cm x 840cm
Net Weight	approximately 105kg
Packing Box Dimensions	[Length x Width x Height] approximately 160cm x 88cm x 90cm
Gross Weight (including packing box)	122kg
Execution Standards	GB 4706.1-2005 GB 4706.1-2008



CHANEN MA9201S
3D Core Movement + 2D Core Movement
Dual Combined Core Movement

CORE SELLING POINT

- * Foot airbag massage
- * Zero gravity recline
- * Adjustable backrest
- * USB charging port
- * Adjustable shoulder width

CLASSIC SELLING POINT

- * Voice control
- * SL track massage from neck to thighs
- * LCD remote control
- * Calf kneading massage
- * Auto body scan for tailored massage



Product Technical Parameters

Model	MA9201S
Brand	CHANEN
Power Supply	220V 50Hz~60Hz
Rated Power	170w
Massage Range	
3D Upper Core Movement	Kneading width approximately 6cm – 15cm
	Moving distance approximately 65cm
	Protrusion of massage rollers approximately 10cm
2D Lower Core Movement	Kneading width approximately 7cm – 17cm
	Moving distance approximately 55cm
	Protrusion of massage rollers approximately 5cm
Dimensions	When not tilted [Length x Width x Height] approximately 163.5cm x 87cm x 115cm
	When tilted [Length x Width x Height] approximately 190cm x 87cm x 840cm
Net Weight	approximately 113.5kg
Packing Box Dimensions	[Length x Width x Height] approximately 160cm x 88cm x 90cm
Gross Weight (including packing box)	130.5kg
Execution Standards	GB 4706.1-2005 GB 4706.1-2008


CHANEN MA101 2D Single Core Movement

CORE SELLING POINT

- * 3D massage technology with a unique Super SL Track design for full-body coverage.
- * Stretching program to enhance flexibility and relieve tension
- * Multiple recline angles for personalized comfort

CLASSIC SELLING POINT

- * Extensive massage functions including kneading, tapping, rolling and so on.
- * Zero gravity feature for reduced pressure on joints
- * Adjustable shoulder and foot rollers



Product Technical Parameters

Model	MA101
Brand	CHANEN
Power Supply	220V 50Hz~60Hz
Rated Power	120w
Massage Range	
Kneading width:	approximately 7cm – 17cm
Moving distance:	approximately 78cm
Protrusion of massage rollers:	approximately 7cm
Dimensions:	When not tilted [Length x Width x Height] approximately 142.5cm x 73.5cm x 114.8cm When tilted [Length x Width x Height] approximately 174.2cm x 73.5cm x 85.5cm
Net Weight	approximately 74kg
Packing Box Dimensions	[Length x Width x Height] approximately 148cm x 76cm x 88cm
Gross Weight (including packing box)	122kg
Execution Standards	GB 4706.1-2005 GB 4706.1-2008





CHANEN MA101S

3D Core Movement + 2D Core Movement

Dual Combined Core Movement

CORE SELLING POINT

- * Bluetooth music connectivity
- * Auto retractable leg extension
- * Waist heating
- * Leg heating
- * Foot roller massage

CLASSIC SELLING POINT

- * Six auto massage programs
- * 3D massage manipulator
- * Shoulder airbag massage
- * Armrest airbag compression
- * Leg airbag massage

Product Technical Parameters

Model	MA101S
Brand	CHANEN
Power Supply	220V 50Hz~60Hz
Rated Power	150w
Massage Range	
3D Upper Core Movement	Kneading width approximately 6cm – 15cm Moving distance approximately 51cm Protrusion of massage rollers approximately 10cm
2D Lower Core Movement	Kneading width approximately 7cm – 17cm Moving distance approximately 41cm Protrusion of massage rollers approximately 5cm
Dimensions	When not tilted [Length x Width x Height] approximately 142.5cm x 73.5cm x 114.8cm When tilted [Length x Width x Height] approximately 174.2cm x 73.5cm x 855cm
Net Weight	approximately 74kg
Packing Box Dimensions	[Length x Width x Height] approximately 148cm x 76cm x 88cm
Gross Weight (including packing box)	84kg
Execution Standards	GB 4706.1-2005 GB 4706.1-2008





CHANEN MA102

3D Core Movement + 2D Core Movement Dual Combined Core Movement

CORE SELLING POINT

- * Body Scan technology to customize the massage to user's body shape
- * Zero gravity position for optimal pressure relief
- * Dual MAX

CLASSIC SELLING POINT

- * USB charge USB
- * 8 inch LCD
- * Bluetooth speakers for enhanced relaxation



M A 1 0 2

Product Technical Parameters

Model	MA102
Brand	CHANEN
Power Supply	220V 50Hz~60Hz
Rated Power	150w
Massage Range	
3D Upper Core Movement	Kneading width approximately 6cm - 15cm
	Moving distance approximately 51cm
Protrusion of massage rollers	approximately 10cm
2D Lower Core Movement	Kneading width approximately 7cm - 17cm
	Moving distance approximately 41cm
Protrusion of massage rollers	approximately 5cm
Dimensions	When not tilted [Length x Width x Height] approximately 143.5cm x 75.3cm x 111.9cm
	When tilted [Length x Width x Height] approximately 171cm x 75.3cm x 823cm
Net Weight	approximately 79kg
Packing Box Dimensions	[Length x Width x Height] approximately 148cm x 76cm x 88cm
Gross Weight (including packing box)	95kg
Execution Standards	GB 4706.1-2005 GB 4706.1-2008

MA6201



CHANEN MA6201 Small 2D Single Core Movement

CORE SELLING POINT

- * Shiatsu massage capabilities for authentic pressure points relief
- * Compact design suitable for smaller spaces
- * 3D massage technology with a unique L-track design for full-body coverage

CLASSIC SELLING POINT

- * Lightweight and easy to move
- * Affordable price point with a variety of features
- * User-friendly controls and settings



Product Technical Parameters

Model	MA6201
Brand	CHANEN
Power Supply	220V 50Hz~60Hz
Rated Power	100w
Massage Range	
Kneading width:	approximately 5cm – 16cm
Moving distance:	approximately 76cm
Protrusion of massage rollers:	approximately 6cm
Dimensions:	When not tilted [Length x Width x Height] approximately 121cm x 61cm x 72.5cm When tilted [Length x Width x Height] approximately 142cm x 61cm x 72.5cm
Net Weight	approximately 48kg
Packing Box Dimensions	[Length x Width x Height] approximately 123.5cm x 63cm x 71.5cm
Gross Weight (including packing box)	55kg
Execution Standards	GB 4706.1-2005 GB 4706.1-2008

CHANEN MA3201


Large 2D Single Core Movement

CORE SELLING POINT

- * Unique design with a full-body air massage system
- * Affordable price point with a variety of features
- * Stylish design that complements home decor

CLASSIC SELLING POINT

- * Bluetooth speakers for enhanced relaxation
- * Multiple massage styles and intensities
- * Multiple recline angles for personalized comfort



Product Technical Parameters


Model	MA3201
Brand	CHANEN
Power Supply	220V 50Hz~60Hz
Rated Power	120w
Massage Range	
Kneading width:	approximately 7cm – 18cm
Moving distance:	approximately 98cm
Protrusion of massage rollers:	approximately 7cm
Dimensions:	When not tilted [Length x Width x Height] approximately 146cm x 76cm x 130cm When tilted [Length x Width x Height] approximately 175cm x 77.6cm x 109cm
Net Weight	approximately 81kg
Packing Box Dimensions	[Length x Width x Height] approximately 124cm x 78cm x 123cm
Gross Weight (including packing box)	94kg
Execution Standards	GB 4706.1-2005 GB 4706.1-2008

MA3201



NAYAX

Attending to the Unattended



VA3201 3D Single Core Movement

CORE SELLING POINT

- * Whole body air pressure massage
- * Ultra-long SL-shaped curved guide rail
- * Zero-gravity massage mode
- * Intelligent massage program
- * Foot roller massage

CLASSIC SELLING POINT

- * Multi-dimensional massage manipulator
- * Full-body wrap design
- * Adjustable backrest for custom comfort
- * Calf and foot heating
- * Automatic body scan for personalized massage



Product Technical Parameters

Model	VA3201
Brand	CHANEN
Power Supply	220V 50Hz~60Hz
Rated Power	150w
Massage Range	Kneading width approximately 6cm – 15cm Moving distance approximately 98cm Protrusion of massage rollers approximately 10cm
Dimensions	When not tilted [Length x Width x Height] approximately 163.5cm x 87cm x 115cm When tilted [Length x Width x Height] approximately 190cm x 87cm x 84cm
Net Weight	approximately 105kg
Packing Box Dimensions	[Length x Width x Height] approximately 160cm x 88cm x 90cm
Gross Weight (including packing box)	122kg
Execution Standards	GB 4706.1-2005 GB 4706.1-2008

